## CLAIMS

## We claim:

- A method of transcoding an input video data stream to achieve a desired output video data stream, said transcoding method comprising:
- decoding the input video data stream,
  intra-transcoding the decoded video data stream,
  encoding the intra-transcoded video data stream, and
  post-encoding the encoded intra-transcoded video data stream.
  - 2. The method according to claim 1 wherein the step of intra-transcoding further comprises deinterlacing the video data stream.
  - 3. The method according to claim 1 wherein the step of intra-transcoding further comprises cropping the video data stream.
  - 4. The method according to claim 1 wherein the decoded video data stream includes compression errors and the step of intra-transcoding further comprises removing the compression errors from the decoded video data stream.
  - 5. The method according to claim 1 wherein the step of intra-transcoding further comprises synchronizing the video data stream.
  - 6. The method according to claim 1 wherein the step of encoding further comprises applying an encoding profile to achieve the desired output video data stream.
- 7. The method according to claim 6 wherein the step of applying an encoding profile to achieve the desired output video data stream further comprises setting a bit rate to achieve the desired output video data stream.

5

- 8. The method according to claim 6 wherein the step of applying an encoding profile to achieve the desired output video data stream further comprises setting a video frame size to achieve the desired output video data stream.
- 9. The method according to claim 6 wherein the step of applying an encoding profile to achieve the desired output video data stream further comprises setting a key frame spacing to achieve the desired output video data stream.
  - 10. The method according to claim 6 wherein the step of applying an encoding profile to achieve the desired output video data stream further comprises setting a quality to achieve the desired output video data stream.
  - 11. A system for transcoding an input video data stream to a desired output video data stream, said transcoding system comprising:

means for decoding the input video data stream

means for intra-transcoding the decoded video data stream,

means for encoding the intra-transcoded video data stream, and

means for post-encoding the encoded intra-transcoded video data stream.

- 12. The system according to claim 11 wherein the means for intra-transcoding further comprises means for deinterlacing the video data stream.
- 13. The system according to claim 11 wherein the means for intra-transcoding further comprises means for cropping the video data stream.
- 20 14. The system according to claim 11 wherein the decoded video data stream includes compression errors and the means for intra-transcoding further comprises means for removing the compression errors from the decoded video data stream.

Docket No. 2033267/0009 Document No. 81287

The first care of the first of

5

- 15. The system according to claim 11 wherein the means for intra-transcoding further comprises means for synchronizing the video data stream.
- 16. The system according to claim 11 wherein the means for encoding further comprises means for applying an encoding profile to achieve the desired output video data stream.
- 17. The system according to claim 16 wherein the means for applying an encoding profile to achieve the desired output video data stream further comprises means for setting a bit rate to achieve the desired output video data stream.
- 18. The system according to claim 16 wherein the means for applying an encoding profile to achieve the desired output video data stream further comprises means for setting a video frame size to achieve the desired output video data stream.
- 19. The system according to claim 16 wherein the means for applying an encoding profile to achieve the desired output video data stream further comprises means for setting a key frame spacing to achieve the desired output video data stream.
- 20. The system according to claim 16 wherein the means for applying an encoding profile to achieve the desired output video data stream further comprises means for setting a quality to achieve the desired output video data stream.